


## [2022 E\_BW4HANA207 Answers E\_BW4HANA207 Free Demo Are Based On The Real Exam [Q11-Q25]



[2022] E\_BW4HANA207 Answers E\_BW4HANA207 Free Demo Are Based On The Real Exam  
E\_BW4HANA207 [Sep-2022 Newly Released] Exam Questions For You To Pass

### QUESTION 11

You want to load data from SAP Ariba to SAP BW/4HANA. Which object in SAP BW/4HANA does SAP recommend to use for this scenario?

- \* DataStore of type ODP\_CDS
- \* Write Interface-Enabled DataStore Object
- \* Direct Update DataStore Object
- \* DataStore of type ODP\_HANA

### QUESTION 12

What do the Remote Conversion approach and the Shell Conversion approach have in common? Note: There are 3 correct answers to this question.

- \* Both approaches uninstall the unsupported BW Add-ons from the sending BW system as the first activity

- \* Both approaches convert unsupported object types during import into the new SAP BW/4HANA system
- \* Both approaches result in a SAP BW/4HANA system which has a new system ID
- \* Both approaches require the SAP BW/4HANA Starter Add-on to be installed on the sending system
- \* Both approaches are setup by installing required SAP notes via the SAP BW Notes Analyzer

### QUESTION 13

What are valid reasons to generate external SAP HANA Views for SAP BW/4HANA objects? Note: there are 2 correct answers to this question.

- \* To consume SAP BW/4HANA data and manage access with native SAP HANA concepts
- \* To apply SAP HANA transformational logic instead of SAO ABAP logic
- \* To leverage the SAP HANA-optimized Analytic Manager to process BW Query
- \* To create an additional persistent layer of data in SAP HANA

### QUESTION 14

Which objects can be used as components in a CompositeProvider in SAP BW/4HANA? Note: There are 3 correct answers to this question.

- \* CompositeProvider
- \* Open ODS View
- \* SAP HANA Calculation View.
- \* BW Query
- \* SAP ABAP CDS View

### QUESTION 15

A customer wants to know the difference between LSA and LSA++ to define a layered scalable architecture.

Which layers are only presented in LSA++? Note: There are 2 correct answers to this question.

- \* Open Operational Data Store Layer
- \* EDW Propagation Layer
- \* Corporate Memory
- \* BW Workspace Layer

### QUESTION 16

For which SAP Cloud system does SAP recommend using the SAP HANA SDI and its Odata adapter to load data into SAP BW/4HANA?

- \* SAP C/4HANA
- \* SAP SuccessFactors
- \* SAP S/4HANA Cloud
- \* SAP Ariba

### QUESTION 17

You would like to implement a virtual scenario in your SAP BW/4HANA system. Which approach does SAP recommend for this kind of scenario? Note: There are 3 correct answers to this question.

- \* Integrate external data into SAP BW/4HANA based on the Write Interface-enabled DataStore object.
- \* Model a CompositeProvider which combines data from multiple SAP BW/4HANA InfoProviders and SAP HANA Views.
- \* Generate external SAP HANA view of SAP BW/4HANA InfoProviders to consume SAP BW/4HANA data in SAP HANA.

- \* Define an Open ODS View which integrates an SAP HANA table into SAP BW/4HANA.
- \* Load SAP HANA data into SAP BW/4HANA InfoProviders based on the Operational Data Provisioning (ODP) framework.

### QUESTION 18

The SAP BW/4HANA StarterAdd-on is installed and set to the Compatibility mode.

How is the SAP BW system affected? Note: There are 2 correct answers to this question.

- \* New InfoCubes can be created after getting approval by a whitelist.
- \* The SAP BEx Analyzer is decommissioned.
- \* Virtual InfoProviders for Planning are still allowed.
- \* All objects can be changed after getting approval by a whitelist.

### QUESTION 19

You create a DataStore object (advanced) with only the setting 'Sourcing DataStore Object' and

'Reporting-Enabled' selected.

Which table or combination of tables is used when data is extracted from this DataStore object (advanced) in a data flow?

- \* The union of the Inbound table and the ChangeLog table
- \* The union of the Inbound table and the Active Data table
- \* Inbound table only
- \* Active Data table only

### QUESTION 20

Which SAP HANA XS classic information view can you convert directly into an SAP HANA HDI Calculation View?

- \* SAP HANA Calculation View (scripted)
- \* SAP HANA Analytic View
- \* SAP HANA Attribute View
- \* SAP HANA Calculation View (graphical)

### QUESTION 21

In SAP BW/4HANA you decide to switch on the External Tier (COLD Store) for a DataStore object (advanced) based on the Data Tiering Optimization (DTO) concept.

Where can the data be managed? Note: there are 2 correct answers to this question.

- \* In an SAP IQ database
- \* In SAP HANA on an extension node
- \* In SAP HANA Native Storage Extension
- \* In the file system of a Hadoop cluster

### QUESTION 22

You want to use a referential join for a combination of transactional data (left table) and master data (right table).

How will this referential join be processed? Note: there are 2 correct answers to this question.

- \* It is executed only when columns from both tables are requested

- \* It shows all transactional data with an existing master data record
- \* It shows all master data to assure the referential integrity
- \* It is an inner join that assumes that referential integrity is given

### QUESTION 23

A customer wants to convert from SAP BW powered by SAP HANA to SAP BW/4HANA.

What additional value is offered by SAP BW/4HANA compared to SAP BW powered by SAP HANA?

- \* Storing data of DataStore objects (advanced) in Extended Tables
- \* Creating HANA Analysis Processes (HAP)
- \* Generating external SAP HANA Views for SAP BW Queries
- \* Leveraging the Data Tiering Optimization (DTO) concept

### QUESTION 24

How does column-based storage enable data to be read faster in SAP HANA?

- \* Individual columns contain all of the information for one record
- \* Individual columns are read-optimized by writing into a main store and a delta store
- \* Individual columns can be transferred to an SAP HANA optimized row-based format for faster access
- \* Individual columns can be processed at the same time by different CPU cores

### QUESTION 25

Which of the following SAP BW/4HANA objects support the automatic generation of external SAP HANA views? Note: There are 2 correct answers to this question.

- \* Open ODS View
- \* BW Query
- \* InfoObject Characteristic
- \* DataSource

**New 2022 Realistic Free SAP E\_BW4HANA207 Exam Dump Questions and Answer:**

[https://www.dumpleader.com/E\\_BW4HANA207\\_exam.html](https://www.dumpleader.com/E_BW4HANA207_exam.html)