


## [Nov 04, 2022 Latest Adobe AD0-E313 Exam Practice Test To Gain Brilliante Result [Q36-Q56]



Latest [Nov 04, 2022] Adobe AD0-E313 Exam Practice Test To Gain Brilliante Result  
Take a Leap Forward in Your Career by Earning Adobe AD0-E313

**Q36.** A Campaign developer is building an automated workflow that is required to send emails to product purchasers from the previous day. The audience of each day's send must be stored in a delivery of its own.

Which type of delivery should the Campaign developer use in such a workflow?

- \* Recurring delivery
- \* Email delivery
- \* Continuous delivery
- \* Other delivery

**Q37.** A client has a user created specifically for making API calls. The client does NOT want to create a new session token for each call.

How should the Campaign developer configure the operator to accomplish this request?

- \* Enable trusted IP
- \* Forbid web access
- \* Use LDAP integration
- \* Use Adobe ID login

**Q38.** What would a developer use to trigger one workflow from another?

- \* Scheduler activity
- \* Option
- \* PostEvent method
- \* Jump activity

**Q39.** Which workflow manages the jobs for marketing campaigns and creates workflows related to recurring and periodic campaigns?

- \* workflowMgt
- \* deliveryMgt
- \* stockMgt
- \* operationMgt

**Q40.** System ABC (a retail company) wants to measure performance by activating 10% random sampling in a campaign; the campaigns they will be executing in the future. In the campaign template's advanced campaign parameters, where would the Adobe Campaign developer apply the changes?

- \* Select Activate Random Sampling > Next > Add Fixed we =10 > finish
- \* Control Population > Enable and edit control group configuration > Select Activate Random Sampling > Next > Add Fixed size =10 > Finish
- \* Control Population > Enable and edit control group configuration > Select Activate Random Sampling > Next > Add size as a percentage =10.00 > Finish
- \* Select Activate Random Sampling > Next > Add size as a percentage =10.00 > Finish

**Q41.** During development, the client must only send emails to their company domain.

How should a Campaign developer make sure this is enforced?

- \* Create a delivery template with an exclusion rule to remove recipients in other domains
- \* Update non-company domain emails to NULL
- \* Create a default workflow template with an exclusion activity to exclude recipients in other domains
- \* Create a typology rule to exclude recipients in other domains

**Q42.** A Campaign developer notices that targeting approval and content approval notifications are not being sent.

What should the developer verify to resolve this situation?

- \* The Jobs on deliveries in campaigns workflow is running.
- \* The target of the approval message is in the recipient table.
- \* The notification reminders are configured in the delivery approvals tab.
- \* The approval message is using a notification typology.

**Q43.** A Campaign developer wants to allow users to pick values from a drop-down list within a form and allow users to enter values that may not be in the drop-down list.

How should the Campaign developer meet this requirement using enumeration?

- \* Create a user enumeration that specifies open as the type
- \* Create an enumeration within the input form definition
- \* Create a user enumeration that specifies system as the type
- \* Create an enumeration within the schema definition using the type=userDef; syntax

**Q44.** A-Bar Enterprise; has a marketing workflow which incorporates Push notifications. User IDs are now changing to the hashed values of the previously used ID. Each recipient already has this unique hashed value stored in a field in the Recipient table.

Mobile app subscriptions are still registering correctly in Adobe Campaign, but the workflow no longer knows which recipient is linked to each User ID.

Assuming everything outside of Adobe Campaign has been configured correctly, what must the developer do to regime tending Push notification?

- \* Extend the Subscriber Applications schema, linking the hashed customer ID in the Recipient schema.
- \* Reconfigure the External Account to update how each mobile user is Identified as a recipient now using the hashed customer ID as the identifier.
- \* Decommission the previously set-up mobile application configuration in Adobe Campaign, and create a new one with the new integration key.
- \* Update the mobile application configuration in Adobe Campaign with the new integration key.

**Q45.** An Adobe Campaign developer uses an Import workflow to load data from an external source, but finds that duplicate entries are created in the recipient table. What are the two likely causes of the error? Choose the two correct answers.

- \* The Update data activity is set to the `&#8216;insert&#8217;` option.
- \* The file was not deduplicated before the importing workflow.
- \* A deduplication step is missing in the workflow.
- \* The identifier was not configured property.
- \* The reconciliation option in the Update data is set up improperly.

**Q46.** When following Content Management creation principles, what is the best practice when defining the identification key of the schema, form, and publication template?

- \* Use the same namespace and internal
- \* Use the same namespace
- \* Use the same label
- \* Use the same label and internal name

**Q47.** Which two attributes need to be configured in order to create an External Account of type 5FTP? Choose the two correct answers.

- \* Access Key
- \* Encryption
- \* Server
- \* Account
- \* Channel

**Q48.** An Adobe Campaign operator is included in the Workflow Supervisors Operator Group, and is required to have Administrator access for one week only. What would be the best practice to overload the operator's existing rights?

- \* Assign the admin named right
- \* Remove all rights from the operator
- \* Remove the operator from the Workflow Supervisors
- \* Add the operator to the admin Operator Group

**Q49.** A client is using Their own Customer schema instead of the default Recipient schema. What out-of-the-box functionality do they lose if they do so?

- \* Default delivery approval settings
- \* Use of Distribution of Values data in a query
- \* Ability to save filters for re-use
- \* The standard Services and Subscriptions

**Q50.** A Campaign developer is setting up a new API to query the recipient table from an external application. The developer is setting up an Operator for use specifically with the new API. In doing so, the developer selects the option 'forbid access from the rich client'; What impact does this have on the API?

- \* The Operator will authenticate via external accounts for API access.
- \* The Operator has access via the API.
- \* The Operator can issue API calls from within the rich client.
- \* The Operator is denied access via the API.

**Q51.** A client wants to ensure that their company logo appears in every email that is sent. What typology rule type would a developer use to make this check?

- \* Pressure
- \* Capacity
- \* Control
- \* Filtering

**Q52.** Out of the following variables, which has the widest range of visibility within the platform?

- \* platform variable
- \* instance variable
- \* event variable
- \* option variable

**Q53.** What monitoring log should a Campaign developer look at for a database error in a query activity?

- \* web
- \* wfserver
- \* mta
- \* inMail

**Q54.** How would a developer best describe the limitations of the Adobe Campaign Interaction module?

- \* Offers have to be reapproved after any change to rules or content
- \* Interaction can be used only for outbound marketing activities
- \* The Offer catalog can support only 12 Offers as a
- \* Only one Offer Category can be used in a delivery

**Q55.** Which type of External Account should be used to connect to the mid-sourcing instance in a hybrid installation?

- \* HTTP
- \* Routing
- \* External Database
- \* Execution Instance

**Q56.** In order for a database cleanup workflow to execute, which process should be in a Started state?

- \* mtaserver
- \* wfserver
- \* exewf server
- \* wkserver

### Adobe AD0-E313 Exam Syllabus Topics:

TopicDetailsTopic 1- Identify configuration settings for SFTP external accounts- Describe the use case for customized Options  
Topic 2- Extend activity functionality using the Expression Editor- Apply the process to configure alerts and approvalsTopic 3-  
Define the process to create the advanced process in workflows- Apply the process to transform data and manipulate the  
work tableTopic 4- Identify the different sources of data that a workflow can access- Apply the process to configure  
workflow propertiesTopic 5- Distinguish system-wide configuration settings that affect the workspace- project level-  
Demonstrate system-wide configuration of settings in the Administration nodeTopic 6- Apply the process to translate the user  
management matrix with correct user rights and hierarchy- Apply the process to extend the OOTB Recipient schema

**Authentic Best resources for AD0-E313 Online Practice Exam:** [https://www.dumpleader.com/AD0-E313\\_exam.html](https://www.dumpleader.com/AD0-E313_exam.html)