
# Latest [Dec 01, 2022 P-SECAUTH-21 Exam Dumps - Valid and Updated Dumps [Q18-Q41



Latest [Dec 01, 2022] P-SECAUTH-21 Exam Dumps - Valid and Updated Dumps Free Sales Ending Soon - 100% Valid P-SECAUTH-21 Exam Dumps with 81 Questions

#### P-SECAUTH-21 Exam Certification Details:

Cut Score:66% Exam:80 questionsLanguages: English Sample Questions: SAP P-SECAUTH-21 Exam Sample Question Duration:180 minsLevel: Professional

**NO.18** You are setting up your SAP NetWeaver AS in a SSL client scenario. What are the reasons to choose an "anonymous SSL Client PSE" setup?

Note: There are 2 correct answers to this question.

- \* To support mutual authentication
- \* To support server-side authentication and data encryption
- \* To use as a container for the list of CAs that the server trusts

\* To have an individual identity when accessing a specific application

NO.19 What does the SAP Security Optimization Service provide? Note: There are 2 correct answers to this question.

- \* Configuration check of the SAP systems and the SAP middleware components against defined configurations
- \* Results with recommendations on how to resolve identified vulnerabilities without prioritization
- \* Analysis of security vulnerabilities within an enterprise \$\pmu #8217;\$ SAP landscape to ensure optimal protection against intrusions
- \* Analysis of your operating system, database, and entire SAP system to ensure optimal performance and reliability

**NO.20** You have Reason Codes already defined. Which is the correct sequence of steps to configure a Firefighter ID in Emergency Access Management?

\* Maintain a Firefighter ID for Controllers and Firefighters

Maintain an Owner for a Firefighter ID

Maintain Access Control Owner

\* Maintain an Owner for a Firefighter ID

Maintain a Firefighter ID for Controllers and Firefighters

Maintain Access Control Owner

\* Maintain an Owner for a Firefighter ID

Maintain a Firefighter ID for Controllers and Firefighters

Maintain Access Control Owner

\* Maintain an Owner for a Firefighter ID

Maintain a Firefighter ID for Controllers and Firefighters

Maintain Access Control Owner

**NO.21** You are reviewing the authorizations for Core Data Services (CDS) views. How are classic authorizations integrated with CDS authorizations?

- \* By using the statement AUTHORITY-CHECK in the access control of the CDS view
- \* By defining access conditions in an access rule for the CDS view
- \* By assigning the CDS view to the authorization profile in PFCG
- \* By defining the CDS view in the authorization object in SU21

**NO.22** Currently, transports into your SAP system are not scanned automatically. To avoid the import of non-secure programs, you have implemented the strategy to set up a virus scanner using a script to automatically scan for the malicious programs. What is the valid fi e format where data files are first converted into and then checked by a virus scanner?

- \* XML
- \* Plain text
- \* 0csv
- \* SAP compressed

NO.23 How would you control access to the ABAP RFC function modules? Note: There are 2 correct answers to this question.

- \* O Block RFC Callback Whitelists
- \* O Restrict RFC authorizations
- \* O Deactivate switchable authorization checks

#### \* O Implement UCON functionality

**NO.24** What can you maintain in transaction SU24 to reduce the overall maintenance in PFCG? Note: There are 3 correct answers to this question.

- \* The default values so they are appropriate for the transactions used in the roles
- \* The authorization objects that are not linked to transact on codes correctly
- \* The default values in the tables USOBX and USOBT
- \* The default authority check settings for the role maintenance tool
- \* The authorization objects that have unacceptable default values

**NO.25** The SSO authentication using X.509 client certificates is configured. Users complain that they can't log in to the back-end system. The trace file shows the following error message: "HTTP request [2/5/9] Reject untrusted forwarded certificate". What is missing in the configuration? Note: There are 2 correct answers to this question.

- \* On the back-end, the profile parameter icm/HTTPS/verify client must NOT be set to 0
- \* On the web-dispatcher, the SAPSSLS.pse must be signed by a trusted certification authority
- \* On the web-dispatcher, the profile parameter icm/HTTPS/verify\_client must be set to 0
- \* The web dispatcher's SAPSSLC.PSE certificate must be added to the trusted reverse proxies list in icm/trusted\_reverse\_proxy\_<xx>

**NO.26** For which purpose do you use instance Secure Storage File System (SSFS) in an SAP HANA system? Note: There are 2 correct answers to this question.

- \* To protect the password of the root key backup
- \* To store root keys for data volume encryption
- \* To store the secure single sign-on configuration
- \* To protect the X.509 public key infrastructure certificates

NO.27 You are consolidating user measurement results and transferring them to SAP. What act on do you take?

- \* Run report RSUSR200
- \* Run report RFAUDI06 BCE
- \* Run report RSLAW PLUGIN
- \* Run transact on USMM

NO.28 What is the SAP Best Practice to delete a security SAP role in SAP landscape?

- \* Transport the SAP role and delete the role using Profile Generator
- \* Delete the SAP role in all clients using Profile Generator
- \* Delete the SAP role using Profile Generator, and then put it in the transport
- \* Delete the SAP role in all clients in all systems using Profile Generator

**NO.29** What is the User Management Engine (UME) property "connect on pooling" used for? Note: There are 2 correct answers to this question.

- \* To improve performance of requests to the LDAP directory server
- \* To avoid unauthorized request to the LDAP directory server
- \* To create a new connect on to the LDAP directory server for each request
- \* To share server resources among requesting LDAP clients

**NO.30** To prevent session fixation and session hijacking attacks, SAP's HTTP security session management is highly recommended. What are the characteristics of HTTP security session management? Note: There are 2 correct answers to this question.

- \* It uses URLs containing sap-context d to identify the security session
- \* The system is checking the logon credentials again for every request

- \* The security sessions are created during logon and deleted during logoff.
- \* The session identifier is a reference to the session context transmitted through a cookie.

#### **NO.31** Why do you use table logging in AS ABAP?

- \* To log changes in application data
- \* To log changes in master data
- \* To log changes in table technical settings
- \* To log changes in customizing tables

## **NO.32** The SAP HANA database has its parameters configured with its default values. How can the SAP\_INTERNAL\_HA NA\_SUPPORT catalog role be used?

- \* The role can be granted to another role (nested)
- \* The role can be granted to multiple users at a time
- \* The role can be granted only with system privileges
- \* The role can be granted to the SYSTEM user

**NO.33** A user reports an issue with data not showing up in the visualization of the SAP Fiori tiles. You want to verify the target mapping. At what level are you going to check the target mapping?

- \* O At the catalog level in the SAP Fiori front-end server
- \* O At the group level in the SAP Fiori front-end server
- \* O At the group level in the SAP Fiori Launchpad
- \* O At the application level in the Web IDE

NO.34 How do you handle user "SAP 'in AS ABAP? Note: There are 3 correct answers to this question.

- \* Remove all authorizations from the user
- \* Lock and expire the user in all clients
- \* Set profile parameter login/no\_automatic\_user\_sapstar to 0
- \* Set profile parameter login/no\_automatic\_user\_sapstar to 1
- \* Lock and expire the user in all clients except 000

**NO.35** Because of which security threat would you need to make additional configuration settings to run the SAP Fiori Launchpad from within your SAP NetWeaver Portal?

- \* Cross-Site Request Forgery
- \* Clickjacking
- \* Content Spoofing
- \* Cross-Site Scripting

**NO.36** Which OData authorizations are required for a user to see business data in the SAP Fiori Launchpad? Note: There are 2 correct answers to this question.

- \* Start authorization in the SAP Fiori front-end system
- \* Access authorization in the SAP Fiori front-end system
- \* Access authorization in the SAP S/4HANA back-end system
- \* Start authorization in the SAP S/4HANA back-end system

**NO.37** Which Object ID is used to integrate Business Rule Framework (BRF+) to Multi Step Multi Process (MSMP) initiator workflow?

- \* Function ID
- \* Application ID
- \* Process ID
- \* Expression ID

NO.38 Which authorization object controls access to the trusting system between the managed system and SAP Solution Manager?

- \* S RFCACL
- \* S\_RFC
- \* S\_SERVICE
- \* S ICM

**NO.39** What authorization objects do we need to create job steps with external commands in a background job? Note: There are 2 correct answers to this question.

- \* S ADMI FCD
- \* S\_LOG\_COM
- \* S\_RZL\_ADM
- \* S\_BTCH\_EXT

**NO.40** You are running a 3-tier SAP system landscape. Each time you are accessing STMS\_IMPORT on any of these systems, you are prompted for a TMSADM password. How can you stop this prompt from appearing?

- \* Run the report RSUSR405 on the domain controller.
- \* Reset the TMSADM user's password on the system you are trying to access STMS\_IMPORT.
- \* Change the TMSA DM user 's password directly in the TMS RFC destination in transact on SM59.
- \* Run the report TMS\_UPDATE\_PWD\_OF\_TMSADM on the domain controller.

NO.41 What reference is used to connect multiple Cloud Connectors to one SAP Cloud Platform subaccount?

- \* System Alias
- \* Location ID
- \* Instance ID
- \* Virtual Host

### SAP P-SECAUTH-21 Exam Description:

The "SAP Certified Technology Professional - System Security Architect" certification exam verifies that the candidate possesses the depth of knowledge required in the areas of SAP System Security and Authorization. This certificate proves that the candidate has an advanced understanding within the Technology Consultant profile and is able to apply these skills practically and provide guidance in SAP project implementations in the role of a SAP Security Architect. Furthermore, the holder of this certification is capable to review and evaluate the security level of complex on-premise, cloud and hybrid system architectures.

P-SECAUTH-21 Exam Dumps - 100% Marks In P-SECAUTH-21 Exam:

https://www.dumpleader.com/P-SECAUTH-21\_exam.html]