
(Dec-2022) 1Z0-1033-21 Exam Dumps Contains FREE Real Quesions from the Actual Exam [Q12-Q31



(Dec-2022) 1Z0-1033-21 Exam Dumps Contains FREE Real Quesions from the Actual Exam Free Test Engine Verified By Oracle CPQ Cloud Certified Experts

NO.12 Which format willdatetostr (getdate()) return when no format is supplied?

- \* DD/mm/yyyy HH:mm:ss
- \* HH:mm:ss MM/dd/yyyy
- \* HH:mm:ss DD/mm/yyyy
- \* MM/dd/yyyy HH:mm:ss

NO.13 Which two scenarios can be automated with File Transfer Protocol (FTP)? (Choose two.)

\* An administrator needs to bulk update attachments on a multiple Commerce Transactions.

\* Every month, an administrator needs to apply changes requested by the marketing department on descriptions for parts in CPQ Cloud.

- \* An administrator needs to update Configuration Attribute Value Pricing on a Model and deploy the changes.
- \* Every night, an administrator queries the inventory database and updates a CPQ Cloud data table with the new inventory levels.

NO.14 When defining a new user, which Type value can grant a user account complete access to the CPQ Cloud site?

- \* Administration with Create/Modify Users selected
- \* FullAccess with Create/Modify Users selected
- \* Superuser with Create/Modify Users selected
- \* Root with Create/Modify Users selected
- \* AdminAccess with Create/Modify Usersselected

**NO.15** There are two single-select attributes in an array set. The first single-select attribute shows a list of countries and the second attribute shows a list of states.

Which is the most efficient way to show relevant states based on chosen country?

\* Use the Hiding rule, which is the only possible option, because arrays do not do not support Constraint rules.

\* Create Hiding rules for each country with Simple Conditions, and then select valid states for the Action attribute. In this case, the number of Hiding rules will be equal to the number of countries.

\* Create a Constraint rule for each country in the drop-down list by using Simple Conditions and select valid states for the Action attribute of the rule. In this case, number of rules will be equal to the number of countries in the list.

\* Load all country and state combinations in a data table and write a Constraint rule to lookup the data table.

**NO.16** You have implemented a Commerce Constraint rule, which has an Advanced action. While testing, you find that the attribute values specified in the rule are not being constrained, even though the condition is always true.

What are two reasons for this behavior? (Choose two.)

- \* The attribute is used as a condition for a Commerce Hiding rule.
- \* Configuration was not deployed after the rule was implemented.
- \* Commerce was not deployed after the rule was implemented.
- \* The rule is inactive

NO.17 How can information that is stored in a part field be shown in the line item grid column in Commerce?

- \* by adding a column to Commerce Layout Editor
- \* by adding a column to the Line Item Details layout in the Commerce Layout Editor
- \* by adding a column and mapping it to the field in the line item grid in Commerce Layout Editor
- \* by adding a field to the part database

**NO.18** You want to perform a configuration migration from a development site oa QA site. What is the Oracle-recommended way to accomplished this?

\* Using a DB Link, log in to the development site through the Migration Center section, select the components that need to be migrated, and start the migration.

\* Open Migration Center in the development site, log in to the QA site through the Migration Center section, select the components that need to be migrated, and start the migration.

\* Open Migration Center in the QA site, log in to the development site through the MigrationCenter section, select the components that need to be migrated, and start the migration.

\* Download the components that need to be migrated from the development site and upload them to the QA site.

NO.19 Which two items are not included in an environment refresh?

- \* AutomatedFTP upload to CPQ schedule
- \* Active sessions
- \* Users
- \* Commerce transactions
- \* Configuration administration

NO.20 The user would like to run the "SFDC Quote Upsert" on a commerce action. Wherewould the user define this

## within CPQ?

\* The user will define the action to run in the SOAP Generator XSL.

\* The user will select the "SFDC Quote Upsert" from the Integration list in the Integration tab on the commerce action.

- \* The user will select the "SFDC Quote Upsert" from the Modify tab in the commerce action.
- \* The user will define the relation in the Integration Center under the Integration Platfrom within the Admin Homepage.

NO.21 Identify three types of activities that are captured in Administration logs. (Choose three.)

- \* migrations with the site as target
- \* deployment of configuration productfamilies
- \* creation of data tables
- \* modification of Commerce process objects
- \* creation of configuration objects
- \* uploading of files in File Manager

NO.22 Which attribute type cannot be displayed on the line item grid?

- \* Single-select menu attributes
- \* Currency attributes
- \* HTML attributes
- \* Text attributes

**NO.23** Your users receive a notification for a transaction from CPQ when an approval has been retracted and is no longer needed. The notification contains a generic message about this action. However, users would like to get more details about the transaction.

What is the Oracle-recommended best practice to fulfill this requirement inCPQ?

\* Trigger an email action to notify users by custom defining the email #8217;s subject and body, which contain the transaction details, by using the advanced function available in the Revise action.

\* When a transaction needs to be revised, allow the transaction owner to send a parallel email to approvers, which should include the necessary transaction details.

\* Switch the system-generated email-to-email template, which will include the desired transaction information when approvers are notified.

NO.24 Consider the following requirements for integration with Salesforce:

\* Transaction information needs to be pushed back to Salesforce and synchronized.

\* You must be able to synchronize a transaction with up to 1,000 lines back to the Opportunity Product object in Salesforce.

On the basis of these requirements, which three XSL sets should you use to provide the integration? (Choose three.)

- \* SFDC Opportunity Import
- \* SFDC Quote Upset
- \* SFDC Products Upset All (200, 400, 600, 800, 1000)
- \* SFDC Quote Process Updates
- \* SFDC Opportunity Upload

NO.25 Your customer wants to create a user that has complete access to the site and has the ability to add and edit new users.

Which procedure should you follow to accomplish this?

\* Click the Add button on the User Administration List page; enter values for the required fields (Login, Password, Email, First Name, Last Name, and Phone Number); set the Type field to Admin; click the Add button to add the user to the system; click the

new user's name on the User Administration List page to edit the user; select the Add New Users check box; and click the Add button to save the changes.

\* Click the Add button on the User Administration List page; enter values for the required fields (Login, Email, and First Name); click the Add button to add the user to the system; click the new user's name on the User Administration List page to edit the user; select the Create/Modify Users check box; and click the Update button to save the changes.

\* Click the Add button on the User Administration List page; enter values for the required fields (Login, Email, and First Name); set the Type field to FullAccess; select the Create/Modify Users check box, and click the Add button to add the user to the system.
\* Click the Add button on the User Administration List page, set the Type field to Admin, click the Add button to add the user to the system, click the new user's name on the User Administration List page to edit the user, select the Create/Modify Users check box, and click the Update button to save the changes.

\* Click the Add button on the User Administration List page; enter values for the required fields (Login, Email, and First Name); set the Type field to FullAccess; click the Add button to add the user to the system; click the new user' name on the User Administration List page to edit the user, select the Create/Modify Users check box; and click the Update button to save the changes.

**NO.26** A CommerceConstraint rule has been used to show only the applicable currencies in the Currency attribute based on the value selected in the Country attribute.

After selecting the value in the Country attribute, what should be performed to run the specified Constraint rule?

- \* Any action will trigger the Constraint rule.
- \* The Save action must be performed.
- \* No additional action is needed.
- \* The Submit action must be performed.

NO.27 Identify two options to which transactions can be forwarded using forwarding rules. (Choose two.)

- \* any of the users who arepart of the Approval group
- \* user groups
- \* users
- \* any email address registered in the CPQ Cloud system

Explanation

References:

NO.28 What two options do you have when searching for multiple parts on the Parts Administration page? (Choose two.)

- \* You can leave the field empty, which will return all parts.
- \* Use "\_" and/or "%" as wildcards.
- \* Use "\*" and/or "?" as wildcards.
- \* Type the start string of a part number. The search will return all parts starting with this text.
- \* Use regular expressions (RegEx) to describe a search pattern.

NO.29 Given the following code:

strArr1 = string [] {"1", "2", "3"}; strArr2 = \_\_\_\_\_; return strArr2;

Whichone of the following statements, when placed in the blank space, will give strArr2 a value of "123?" \* join (strArr1,"")

- \* join (strArr1, " ")
- \* combine (" ", strArr1)
- \* combine (strArr1, "")

**NO.30** A customer sets up a BOM mapping for a configuration model using a single simple Table-Based BOM Mapping Configuration rule, as well as the BOM Item Definition and BOM Item Mapping Tables. When reviewing their implementation, they notice the following:

\* The BOM Root Items Administration List shows the root BOM item and its child BOM items correctly.

No errors are displayed. (Accessed from Admin > Products > BOM > BOM Root Items List)

\* The BOM Item Mapping Administration List shows no root BOM item or child BOM items. No errors are displayed. (Accessed from the BOM Mapping rule's "Save and View Details" button) Which field have they incorrectly populated in their BOM Mapping Tables?

- \* "Parent BOM Map Variable Name" in the BOM Item Mapping Table
- \* "Root Variable Name" in the BOM Item Definition Table
- \* "Part Number" in the BOM Item Definition Table
- \* "Parent Variable Name" in the BOM Item Definition Table
- \* "BOM Item Variable Name" in the BOM Item Mapping Table
- \* "Configurable Attribute Variable Name" in the BOM Item Mapping Table

**NO.31** The commerce step "Pending" has four participant profiles in the following order: SalesRep,SalesManager, Owner, and Admin. The Admin profile allows access with the FullAccess user type. The Owner profile has at performer steps "start" step selected. The step has an auto-forwarding rule.

A FullAccess user with the SalesGroupA and SalesManagerA groups creates a new quote and saves it, which moves the quote to "Pending." The auto-forwarding rule returned the following two lines:

SalesManagerA~Company~SalesManager

SalesGroupA~Company~SalesRep

Which profile will be used to display the quote in the #8221; Pending #8221; step to this user?

- \* SalesManager profile
- \* Owner profile
- \* Admin profile
- \* SalesRep profile

Use Real Oracle Achieve the 1Z0-1033-21 Dumps - 100% Exam Passing Guarantee: https://www.dumpleader.com/1Z0-1033-21\_exam.html]