
# Pass Nutanix NCP-MCA Exam Quickly With Dumpleader [Q36-Q57



Pass Nutanix NCP-MCA Exam Quickly With Dumpleader Prepare NCP-MCA Question Answers - NCP-MCA Exam Dumps

# The advantages of taking Nutanix NCP-MCA Exams

You can differentiate yourself from your peers by getting certified and improve yourself.

The demand for getting certified is increasing every day as it adds more value to one's profile and opens a plethora of opportunities for the candidates.

It is always advisable to get a certificate from a reputed institute so that your resume will stand out from the rest.

The Nutanix NCP-MCA certificate will help you to showcase your skills to the world and make you stand out in the crowd. **Nutanix NCP-MCA exam dumps** will help you to get certified in you first attempt.

Nutanix NCP-MCA certificate holders are given preference over non-certified professionals by employers while recruiting professionals. This is because they are assured that they will get quality work done.

## **QUESTION 36**

An administrator has a Linux VM that does batch processing out of a queue. Currently, a technician connects to the VM console and runs a command on the VM to initiate or terminate the batch processing application, as there is no programmatic interface for the application.

The application is processor intensive, so it should only run outside of business hours. The VM has the ability to send REST API calls to Prism.

How should the administrator configure a Playbook to satisfy the needs of this process with minimal external interaction?

- \* Manual Trigger > Power On > VM SSH > Wait for Some Time > Power Off VM
- \* Time Trigger > VM SSH > Wait for Some Time > VM SSH
- \* Webhook Trigger > REST API > Wait for Some Time > REST API
- \* Manual Trigger > VM SSH > Wait for Some Time > VM SSH

# **QUESTION 37**

An application team wants faster releases and starts an initiative to automate the entire database and application deployments.

The current manual process involves:

Creating virtual machines to host the databases and applications

Allocate right amount of storage for the database and applications

Deploy database software and create database

Schedule backup and recovery process for the database

Deploy applications

How can application releases be repeatedly deployed in the least amount of time?

- \* Create a Calm blueprint calling Calm APIs for both database and applications deployments
- \* Deploy databases manually and create a Calm blueprint to automate application deployment
- \* Deploy databases through Era and create a Calm blueprint to automate application deployment
- \* Create a Calm blueprint deploying applications and calling Era APis to automate database deployments

# **QUESTION 38**

Refer to the exhibit.

```
Directory: C:\
                                                       ader.com
Mode
          LastWriteTime
                                Length
                                         Name
                                         MSSOLOV
         /31/2019
A specified logon session does not end
                                                   already have been terminated
                                         karan\2745f3c9-330a-4583-a26d-4fa8079d4012\2745f3c
At C:\Users\Administrator\Applat
4fa8079d4012-503653a3-6879-4bfa
                               9-295d052c362d.ps1:15 char:1
 New PSDrive
                                           "FileSystem"
                                                                "\\anitafileserv ...
   + CategoryInfo
                                  InvalidOperation:
                                                       (T:PSDriveInfo) [New-PSDrive]
   + FullyQualifiedErrorId
                                  CouldNotMapNetworkDrive, Microsoft. PowerShell.Comma
```

Calm encountered the error shown in the exhibit when importing a script that maps a network drive.

Upon further investigation, the Calm administrator was unable to run the script manually on a VM and discovered that elevated permissions were needed.

Which command should the administrator add to the script?

- \* Enable-WSManCredSSP -Role Server -Force
- \* Enable-WSManCredSSP -Role Client
- \* Enable-WSManCredSSP -Role Server
- \* Disable-WSManCredSSP -Role Server -Force

## **QUESTION 39**

An administrator is notified of changes made to VMs on an AHV cluster and wants to verify the changes inside of a Calm application.

Where should the administrator check for synchronized changes between Prism Central and Calm?

- \* On the Prism Central Tasks page
- \* On the Audit tab of the Calm application
- \* On the Environments tab of the Calm project
- \* On the Overview tab of the Calm application

# **QUESTION 40**

What is the correct method to upgrade Calm?

- \* Calm Marketplace
- \* LCM via Prism Element
- \* LCM via Prism Central

\* Calm Dashboard

## **QUESTION 41**

Which method will result in unique names per VM when scaling out a Service in a Calm Blueprint?

- \* Guest OS customization using sysprep contains <ComputerName>@@{name}@@</ComputerName>.
- \* Service VM Name field contains the macro variable @@{calm array index}@@.
- \* Call an external Python eScript that uses an IPAM API to register the VM name in DNS.
- \* Set the VM Name field to allow user edits at launch so the user can enter a custom value at launch.

#### **QUESTION 42**

What is the correct syntax for using a macro within a Calm blueprint?

- \* @@{calm.object}(@@
- \* \$\_calm.object\_\$
- \* {{calm.object}}
- \* %calm.object%

# **QUESTION 43**

An administrator needs to create a Playbook to be notified when VMs are deleted.

Which X-Play Trigger would satisfy this task?

- \* Alert
- \* Audit
- \* Event
- \* Time

#### **QUESTION 44**

Refer to the exhibit.

Authentication by Credential\_type> failed

A Blueprint fails on executing a check-login task against a Windows 2016 VM and displays the error shown in the exhibit. The administrator is using a SSH key-based credential to authenticate the task.

What should the administrator change to resolve the issue?

- \* Increase the retries to allow for the task to complete.
- \* Change to password authentication credential.
- \* Ensure the private key for the credential is correct.
- \* Modify the timeout to give the task longer to complete.

# **QUESTION 45**

Which two groups of operations can a Prism Admin or Super Admin role perform? (Choose two.)

- \* Create, read, automate, or delete an action template in the action gallery
- \* Create, read, update, or delete an action template in the action gallery
- \* Create, read, automate, delete, enable, and run playbooks
- \* Create, read, update, delete, enable, and run playbooks

#### **QUESTION 46**

Refer to the exhibit.



An administrator created the Playbook shown in the exhibit to allow for manual reduction of vCPU count on any selected VM within their environment. During a test run of the play on one of the VMs running in development, the administrator ran into an error that the Playbook cannot be completed against the selected VM.

Here are the details of the affected VM:

VM Name: VM2

vCPU: 4

RAM: 8 GB

OS: Windows 2016

Hypervisor: AHV

What caused this Playbook to fail?

- \* This play cannot be executed against a VM on AHV.
- \* The VM needs to be powered off before vCPU can be reduced.
- \* Reduction of vCPU cannot be done on a VM with a running snapshot.
- \* The play will cause the VM to go below the minimum vCPU.

## **QUESTION 47**

An administrator has a vendor-provided script that must be run at 9 am every Saturday on a Linux application VM.

The administrator currently has a playbook that has a Time trigger and a VM SSH action to execute the script. However, the administrator has received a request to have the output of the script emailed to the application team when it is executed.

What is the easiest way to satisfy this request?

- \* Modify the script to include a function to format the output of the script and email the output to the desired address.
- \* Add an Email action to the end of the existing playbook and use the {{action [index].response\_body}} parameter in the Message field.
- \* Direct the output of the script to a file and use the Send Email with Payload action at the end of your existing playbook.
- \* Add an Email action to the end of the existing playbook and use the {{action[index] .stdout}} parameter in the Message field.

#### **QUESTION 48**

When creating a blueprint, which Pre-create and Post-delete tasks are valid?

- \* Create, Start, Stop, Delete
- \* Execute, Set variable, HTTP, Delay
- \* Create, Start, Stop, Soft Delete
- \* Execute, Set variable, API, Delay

## **QUESTION 49**

An administrator has created a task for a blueprint that could be applied to another blueprint. The administrator wants to reuse the task with the least amount of effort.

How can the administrator accomplish this?

- \* Publish the task to Github select the task from the Github Repository from the other blueprint.
- \* Publish the task to the Marketplace, select the task from the Marketplace from the other blueprint.
- \* Publish the task to the Task Repository, select the task from the Task Repository from the other blueprint.
- \* Publish the task to the Task Library select the task from the Task Library from the other blueprint.

#### **QUESTION 50**

Within a Calm blueprint, which two actions can an administrator apply to a Service under the Guest Customization section? (Choose two.)

- \* Apply a Cloudinit Script
- \* Apply a Sysprep file
- \* Modify the base OS image
- \* Choose UEFI or Legacy BIOS

#### **QUESTION 51**

An administrator has an existing set of VMs that were deployed before the company started using Calm. The administrator would like to now use Calm to manage those existing VMs.

What should the administrator do to manage the existing VMs?

- \* Create a Greenfield Application, select the snapshots of the VMs to manage and redeploy the VMs from the latest snapshot.
- \* Create a Brownfield Application, select the VMs that are needed for each deployment from the drop down list.
- \* Create a Greenfield Application, select the VMs that are needed for each deployment from the drop down list.
- \* Create a Brownfield Application, select the snapshots of the VMs to manage and redeploy the VMs from the latest snapshot.

#### **QUESTION 52**

An end user for an application that has been assigned the Consumer role within the project has noticed multiple issues with a blueprint that need to be addressed. The decision has been made to bring the end user onto the team to be able to modify the blueprints for this project.

Using the concept of least privilege, what role should the end user be assigned?

- \* Developer
- \* Project Admin
- \* Consumer
- \* Operator

#### **QUESTION 53**

Which action should an administrator use to request a static IP address from an IPAM solution?

- \* Profile
- \* Pre-create
- \* Guest Customization
- \* Create

#### **QUESTION 54**

A customer is trying to deploy an application with Calm and receives this error for a Linux VM:

script execution has failed with error dial tcp: lookup dummy on <dns ip in pc>:53: server misbehaving

What is the cause of this error within the blueprint?

- \* Connection section has a network adapter selected for the Address box in Connection section.
- \* Connection section has no network adapters selected for the Address box in Connection section.
- \* Connection Type has a protocol selected.
- \* Connection Type has no protocol selected.

## **QUESTION 55**

An administrator is providing users with access to the company's LOB applications through a VDI solution. The administrator received information that the company are going to hire 200 new employees who will be using these applications.

The environment is monitored by a third-party tool that notifies the administrator when the VDI solution is about to run out of capacity. This gives the administrator time to create additional resources and add them to the VDI solution.

What should the administrator use when creating a playbook to automate this?

- \* A trigger based on a REST API
- \* A trigger based on an email
- \* A trigger based on an event
- \* A trigger based on an alert

## **QUESTION 56**


Which feature of Calm allows for the creation of task-based automation against dynamic lists of Windows or Linux VMs?

- \* Projects
- \* Blueprints
- \* Playbooks
- \* Runbooks

# **QUESTION 57**

Refer to the exhibit.

## **Data Flow**



A subset of Linux VMs are required to be gracefully shutdown each evening. A Playbook is created to shutdown the targeted VMs, however the error message shown in the exhibit is displayed when the Playbook is executed.

What is causing the error message?

- \* User executing the Playbook does not have Admin privileges.
- \* The VM is already powered off.
- \* The VM is missing Nutanix Guest Tools.
- \* The SSH Service is not running on the VMs.

# What is the Nutanix NCP-MCA Exam?

The NCP-MCA certification is a foundational certification for Cloud Architects and Data Center Architects. To earn this certification, you must have experience designing, implementing, and administering Nutanix software solutions. **Nutanix**NCP-MCA exam dumps will help you pass the exam with flying scores. This exam validates a candidate's skills and knowledge to

architect, design and deploy multi-cloud infrastructure using Nutanix technology as well as other products in the data center. The Nutanix Certified Professional - Multi cloud Architect (NCP-MCA) exam. Additionally, you must demonstrate competency in understanding the Nutanix enterprise cloud platform and its core components such as Prism, AHV and multiple integration points through hands-on experience with an enterprise cloud solution.

# Understand why Nutanix experts work only for top consulting companies

Earning a Nutanix certification requires one to be highly skilled at their job. This is why only a few are able to earn this certification. Also, if you earn a Nutanix certification, you get the opportunity to work with only the leading companies in the world.

Here are some of the biggest reasons as to why IT industry professionals work only for leading companies:

Higher Salary: According to official statistics, Nutanix certified professionals earn an average salary of \$111,850 per year. This is much higher than what an uncertified application system engineer earns. It goes without saying that this higher salary brings along with it several other benefits including better health insurance and retirement benefits. **Nutanix NCP-MCA exam dumps** are the best solution to help you pass your exam.

More Stability: The top companies in the world hire certified experts because they need people who will improve their business and help them stand out from their competition. They also know that certified professionals have a greater chance of helping them grow their business than others do. This means that once you are hired by a top company, you can have the peace of mind that you aren't going anywhere for a long time.

Opportunity for Growth: Working for top companies gives an IT expert the opportunity to grow his/her career at a much faster pace than one can do while working for.

Real Nutanix NCP-MCA Exam Questions [Updated 2022: https://www.dumpleader.com/NCP-MCA exam.html]