

## [Q374-Q397 Attested H13-531\_V2.0 Dumps PDF Resource [2023]



## [Q374-Q397] Attested H13-531\_V2.0 Dumps PDF Resource [2023]

Attested H13-531\_V2.0 Dumps PDF Resource [2023]  
Latest H13-531\_V2.0 Actual Free Exam Questions Updated 768 Questions

### NEW QUESTION 374

What are the types of virtual disks of FusionCompute virtual machines? (Multiple choice)

- \* Dynamic Disks
- \* SSD
- \* Fixed Disk
- \* Differential Disk

### NEW QUESTION 375

In the physical networking of the FusionAccess desktop cloud single data center, the desktop virtual machine needs to be connected to the Which network planes? (many)

- \* business network
- \* to manage the network
- \* storage network

- \* BMC network

### NEW QUESTION 376

BCManager eReplication is based on the host IO remote replication disaster recovery scheme. Under the optimized deployment mode, the minimum RPO can be achieved\_\_\_\_\_.

- \* 10 hours
- \* 10 minutes
- \* 10 seconds
- \* 0 seconds

### NEW QUESTION 377

FusionCompute, after the port group is created, you can modify the port group type andVLAN ID.

- \* True
- \* False

### NEW QUESTION 378

Which of the following descriptions about FusionCompute is correct?

- \* VRM supports virtualized deployment and physical deployment. It is recommended to use single-node deployment to reduce cluster resource usage.
- \* FusionCompute includes two functional modules, CNA and VRM. CNA is a virtualized operating system that provides virtualization capabilities for computing, storage, and network resources. VRM is used for virtual resource management.
- \* The CNA virtualization system adopts resident virtualization.
- \* VRM can manage virtualized and physical resources.

### NEW QUESTION 379

Which of the following descriptions about FusionCloud's cloud disk service EVS are correct? (many)

- \* Calling the externally open interface of EVS can realize EVS application, expansion and deletion and other functions.
- \* EVS needs to be mounted to ECS and formatted before it can be used normally.
- \* EVS provides basic block storage functions.
- \* EVS supports creating cloud disk snapshots.

### NEW QUESTION 380

Windows If the operating system runs for a long time, there may be insufficient memory and process occupancy CPU. The problem of slow system operation caused by excessive resources, so it is recommendedFusionAccessSystem administrators canRestart user VMs in batches every day.

- \* True
- \* False

### NEW QUESTION 381

Regarding the description of domain controllers in AD, which of the following is incorrect?

- \* There can be multiple domain controllers in a domain.
- \* The domain's directory data is stored in the domain controller.
- \* The controllers in the same domain operate independently.
- \* Almost identical AD databases are stored in each controller in the same domain.

### NEW QUESTION 382

FusionCompute use IP SAN Storage, probabilistic failure when creating disk, which of the following may cause this failure?

- \* Data consistency check is enabled on the storage resource
- \* storage interface VLAN ID wrong setting
- \* LUN bad block
- \* Configure a separate network plane to host virtualization SAN Store heartbeat traffic

### NEW QUESTION 383

Which of the following descriptions about VLAN pools in FusionCompute are correct? (Multiple choice)

- \* The start VLAN ID and end VLAN ID must be specified when creating a VLAN pool.
- \* When deleting a VLAN segment, the start VLAN ID and end VLAN ID must be set, and the entire VLAN pool is deleted by default.
- \* The port group can be created only after the VLAN pool is created.
- \* VLAN IDs cannot overlap between different VLAN pools in a DVS.

### NEW QUESTION 384

When Huawei Desktop Cloud distributes virtual desktops, which component in FusionAccess sends the request to create a virtual machine to VRM?

- \* Sc
- \* ITA
- \* HDC
- \* wI

### NEW QUESTION 385

Which of the following is true about backup and disaster recovery?

- \* As long as data transmission, data storage and data exchange occur, data failure may occur, which will affect the use of services.

Therefore, data backup is required to ensure data security.

- \* Data backup requires the production storage and backup storage to be placed in the same computer room
- \* Disaster recovery can be achieved by placing data in different regions
- \* Disaster recovery or backup can ensure that data will not be lost

### NEW QUESTION 386

During the deployment and implementation of the FusionAccess gateway and load balancer, after the vAG/vLB is configured, it is found that the HA status is abnormal, which cannot be caused by any of the following reasons?

- \* The administrator has modified the management plane IP address of the vAG/vLB.
- \* The administrator has modified the service plane IP address of the vAG/vLB.
- \* The administrator has modified the gandalf password of the vAG/vLB.
- \* The administrator has modified the root password of the vAG/vLB.

### NEW QUESTION 387

Which description about the virtual machine is incorrect?

- \* With virtualization technology, multiple virtual machines can be run on one physical machine at the same time.

- \* A virtual machine can run the operating system and applications just like a physical machine.
- \* With virtualization, physical devices are no longer required.
- \* Computing virtualization can realize the reuse of computing resources.

### NEW QUESTION 388

One two-card virtual machine in FusionCompute can only be added to one security group

- \* TRUE
- \* FALSE

### NEW QUESTION 389

Fusioncompute after single node installation. A new host has been added. To create a virtual machine on the newly added host, the network configuration steps may be?

- (1) Add network card
  - (2) Create VLAN pool
  - (3) Create a port group
  - (4) Add uplink
- \* (4)(2)(3)(1)
  - \* (4)(1)(2)(3)
  - \* (4)(3)(2)(1)
  - \* (4)(3)(1)(2)

### NEW QUESTION 390

Which of the following descriptions about FusionCompute snapshots is incorrect?

- \* When the virtual machine is being live migrated, the virtual machine memory snapshot operation cannot be performed
- \* The pressure on disk 10 will cause the failure to create a consistent snapshot. It is recommended to create a consistent snapshot when the pressure on disk 10 is low.
- \* A virtual machine can create multiple memory snapshots. When one snapshot is used to restore the virtual machine, it will not affect other snapshots
- \* When the virtual machine system disk data storage type is NAS storage, it supports creating memory snapshots

### NEW QUESTION 391

RainbowWhat are the supported boot methods for the source virtual machine?

- \* in the case of Windows operating system, only supported UEFI
- \* in the case of Windows operating system that supports both UEFI and BIOS
- \* in the case of Linux operating system that supports both UEFI and BIOS
- \* in the case of Linux operating system, only supported UEFI

### NEW QUESTION 392

Enterprise business scenarios sometimes need to use bare metal servers. The following is about the use of bare metal servers.

Which of the descriptions of the scene is wrong?

- \* Performance computing/AI scenarios
- \* The business load changes greatly in a short time / blog website application
- \* Core database scenarios of precious metal transactions in the financial industry
- \* big data analysis

### NEW QUESTION 393

In the Huawei desktop cloud system, when using a tool to create a virtual machine template, which of the following descriptions is correct?

- \* When selecting the type of virtual machine template, linked clone and full memory are the same options
- \* When selecting the type of virtual machine template, full copy and express packaging are the same option
- \* When selecting the type of virtual machine template, full replication and full memory are the same option.
- \* When selecting the type of virtual machine template, linked clones and express packaging are the same option.

### NEW QUESTION 394

(Multiple Choice) HuaweiManageOne ServiceCenterDuring active/standby deployment, a singleServiceCenterThe virtual machine is faulty, and the service cannot be recovered even after restarting the virtual machine. Which of the following are possible reasons?

- \* temporary changeiptablesRules result in restricted access to virtual machines
- \* The network where the virtual machine is locatedIPconflict
- \* The host where the virtual machine is located is faulty
- \* The file system of the virtual machine is corrupted

### NEW QUESTION 395

To which component does the desktop virtual machine send a registration request message for registration?

- \* GaussDB
- \* HDA
- \* HDC
- \* ITA

### NEW QUESTION 396

Regarding the type of FusionAccess desktop virtual machine, which of the following statements is incorrect? (Multiple choice)

- \* Quickly encapsulated virtual machines are faster than fully replicated virtual machines because there is no decapsulation process when they are created, and domains have been added in advance
- \* A full-memory virtual machine means that the entire virtual machine runs in memory
- \* The maximum number of linked clone parent volumes is 128
- \* The changes of user data on the complete copy virtual machine cannot be saved, and supports shutdown restore and one-click restore functions

### NEW QUESTION 397

To match the customer organization model, how many levels of VDC does Manageone support at most?

- \* 4
- \* 3
- \* 2
- \* 5

**H13-531\_V2.0 Certification Overview Latest H13-531\_V2.0 PDF Dumps:**

[https://www.dumpleader.com/H13-531\\_V2.0\\_exam.html](https://www.dumpleader.com/H13-531_V2.0_exam.html)