

## [Apr 27, 2023] Achieve your Success with Latest SAP C\_FIORDEV\_22 Exam [Q49-Q70]



## [Apr 27, 2023] Achieve your Success with Latest SAP C\_FIORDEV\_22 Exam [Q49-Q70]

Achieve your Success with Latest SAP C\_FIORDEV\_22 Exam [Apr 27, 2023]  
The C\_FIORDEV\_22 Exam Test For Brief Preparation

C\_FIORDEV\_22 Exam Certification Details:

Sample Questions: SAP C\_FIORDEV\_22 Exam Sample Question Exam:80 questionsLanguages:English

**Q49.** To which of the following does an SAP Fiori tile point directly?

- \* An action
- \* A semantic object
- \* An SAP Fiori app
- \* A target mapping with a semantic object and an action

**Q50.** Your customer requires that the SAPUI5 design of all apps matches their corporate theme. Which of the following actions do you perform? Note: There are 3 correct Answers to this question.

- \* Create a model using the SAP Business Application Studio implementing the theme.
- \* Reference the relevant artifacts in the bootstrap of the app.
- \* Create a module using the Web IDE implementing the theme.
- \* Create a theme using the Theme Designer implementing the theme.
- \* Create a css file using the SAP Business Application Studio implementing the theme.

**Q51.** What are Technical Catalogs used for? Note: There are 2 correct Answers to this question.

- \* To reference tiles and target mappings according to Segregation of Duties for example a Purchaser, a Buyer and so on
- \* To store tiles and target mappings by technology per solution area
- \* As a reference for Business Groups
- \* As a reference for Business Catalogs

**Q52.** You created a new catalog that contains some apps. You want to assign these apps to an existing role to provide authorization for the business users. How can you do this using the PFCG transaction?

- \* By adding the semantic object to the catalog and group
- \* By assigning the authorization profile for the catalog in the authorization tab
- \* By adding the catalog to the menu tab of the role
- \* By adding the tile and target mapping to the group

**Q53.** You want to create a business catalog for all employees that contains a standard SAP Fiori app. How would you do this?

- \* Reference the tile from Odata metadata
- \* Reference the tile from a SAP Business Group
- \* Reference the tile from a Technical Catalog provided by SAP
- \* Reference the tile from a SAP Business Catalog

**Q54.** What activity does the QUnit Stub functionality perform?

- \* Supplies parameters for method calls.
- \* Provides parameters and return values for method calls.
- \* Returns values for method calls
- \* Verifies that expected methods are called correctly.

**Q55.** When SAP Web IDE deploys an SAPUI5 app to the ABAP server, which type of app is it deployed as?

- \* HTML5
- \* OpenUI5
- \* BSP
- \* ABAP

**Q56.** You develop an SAPUI5 app and implement a FacetFilter. What events are triggered when the user interacts with the FacetFilter control? Note: There are 2 correct Answers to this question.

- \* oninit
- \* reset
- \* confirm
- \* listFilter

**Q57.** Your customer requires an app to display flight information on a mobile device as detailed in the following screenshot for details. Which options can you use to display the same data in a readable format on a mobile device? Note: There are 2 correct Answers to this question.

Flight No.	Date	From	To	Price	Airplane
0017	Tue Apr 21 2015 20:00:00 GMT-0400 (Universal Time Clock)	new york	SAN FRANCISCO	422.94	747-400
0017	Tue Apr 21 2015 20:00:00 GMT-0400 (Universal Time Clock)	new york	SAN FRANCISCO	422.94	747-400

- \* column:<column demandpopin=&#8221;true&#8221; maxscreenwidth=&#8221;mobile&#8221;></column>
- \* column:<column demandpopin=&#8221;true&#8221; minscreenwidth=&#8221;tablet&#8221; popindisplay=&#8221;Inline&#8221;></column>
- \* column:<column demandpopin=&#8221;true&#8221; minscreenwidth=&#8221;tablet&#8221;></column>
- \* column:<column demandpopin=&#8221;true&#8221; maxscreenwidth=&#8221;mobile&#8221; popindisplay=&#8221;Inline&#8221;></column>

**Q58.** What are the advantages of Local Annotations Over SADL-based Annotations? Note: There are 2 correct answers to this question.

- \* Can Override the CDS based Annotations
- \* All the Framework-Specific Annotations available as a part of CDS views are also available as a part of Annotation Modeler, which makes it highly flexible
- \* Can handle Complex annotations which is not a bound to a single field or entity
- \* Local Annotations are more reusable as compared to SADL based annotations

**Q59.** An administrator want to configure the SAP Fiori Launchpad for all users in one client for your S/4HANA 1809 landscape.

- \* Create a target mapping in a catalog and assign the catalog to all users using roles. / O Define settings using transaction /UI2/FLP\_CUS\_CONF.
- \* Which of the following options represents the best way for the administrator to do this?
- \* Define settings using transaction /UI2/FLP\_SYS\_CONF.
- \* Use the configuration file to define URL parameters to enable/disable features when starting the SAP Fiori Launchpad.

**Q60.** You extend an SAP Fiori app. The visibility value of a View Button control needs to be modified. Which extension point do you use?

- \* View Modification
- \* View Replacement
- \* View Extension
- \* View Visibility

**Q61.** Your customer asks you to add text for a new language to an app. Which file do you send to the translator?

- \* 18n.properties
- \* Master.view.xml
- \* Manifest.json
- \* Component.js

**Q62.** What are some advantages of the Model View Controller (MVC) design pattern used in SAPUI5?Note:

There are 2 correct Answers to this question.

- \* Allows changing the view without modifying the underlying business logic.
- \* MVC artifacts can be transported and debugged separately.
- \* Allows to define several views of the same data.
- \* It supports quick coding.

**Q63.** Where are the themes saved for the SAP Fiori launchpad?

- \* In the theme tool
- \* In the UI theme designer tool
- \* In the theme repository in back-end server
- \* In the theme repository in front-end server

**Q64.** Which of the following can you use to extend an SAP Fiori Elements application?Note: There are 2 correct Answers to this question.

- \* App extension
- \* Adaption extensions
- \* ABAP extension
- \* CDS extension

**Q65.** In the code on the screenshot, what are the absolute paths of the property that retrieves the City value for the company Acme Inc.?Note: There are 2 correct Answers to this question.

```
1  var data = {
2      regions: [
3          {
4              name: "Americas",
5              companies : [
6                  {
7                      name : "Acme Inc.",
8                      city: "Belmont"
9                  },
10                 {
11                     name : "Beam Hdg.",
12                     city: "Hancock"
13                 }
14             ]
15         }
16     ]
17 };
18
19 var oModel = new sap.ui.model.json.JSONModel();
20 oModel.setData(data);
21 oModel.getProperty("<Absolute Path>")
```

- \* /region[0]/companies[0]/city
- \* /regions/companies/0/city
- \* /regions/0/companies/0/city
- \* /regions/1/companies/1/city

**Q66.** In the screenshot, which element of the Arrange-Act-Assert pattern corresponds to the Act in a QUnit test?

```
1
2  QUnit.module("Calculator", {
3      setup: function() {
4          this.calculator = new Calculator();
5      },
6      teardown: function() {}
7  });
8  QUnit.test("display zero initially", function(assert) {
9      assert.equal(this.calculator.display(), 0);
10 });
11 QUnit.test("display entered digit", function(assert) {
12     this.calculator.press("1");
13     assert.equal(this.calculator.display(), 1);
14 });
```

- \* QUnit.module
- \* teardown : function() {}
- \* QUnit.test
- \* this.calculator.press("1");

**Q67.** Which of the following annotations would you use for a List Report Page? Note: There are 2 correct answers to this question.

- \* Use @UI.lineitem.importance annotation to determine in which devices the field is displayed.
- \* Use @UI.selectionField annotation to define a fuzzy search field
- \* Use @Search.defaultSearchElement annotation to define input fields with value help.
- \* Use @UI.hidden annotation to hide the fields that are not to be displayed on a list report

**Q68.** In a SAP Fiori hub deployment, where is the SAPUI5 application code stored for a transactional app?

- \* SAP Back-End Server (BES)
- \* SAP Front-End Server (FES)
- \* SAP HANA XS Engine
- \* SAP Web Dispatcher

**Q69.** Which tool can you use to generate SAPUI5 coding that is based on prototypes?

- \* SAP Build
- \* UI Theme Designer
- \* SAP Business Application Studio
- \* Adobe Flash

**Q70.** What is the required content in the Component.js file for an extension project? Note: There are 2 correct Answers to this question.

- \* The controller IDs
- \* The namespace of the parent app
- \* The link to the parent app
- \* The customizing section

The SAP C-FIORDEV-22 exam is designed for professionals who want to become certified SAP Fiori application developers. This certification validates the skills and knowledge required to develop and deploy SAP Fiori applications. SAP Fiori is a modern user interface for SAP software that provides a consistent user experience across devices and platforms. It is built using SAPUI5 and offers a range of pre-built applications that can be customized to suit specific business requirements.

**Revolutionary Guide To Exam SAP Dumps:** [https://www.dumpleader.com/C\\_FIORDEV\\_22\\_exam.html](https://www.dumpleader.com/C_FIORDEV_22_exam.html)