


Pass Your C-C4H620-24 Exam at the First Try with 100% Real Exam Questions [Q48-Q68]



Pass Your C-C4H620-24 Exam at the First Try with 100% Real Exam Questions
New SAP C-C4H620-24 Dumps & Questions Updated on 2023

To pass the SAP C_C4H620_24 exam, candidates are required to have a good understanding of SAP Customer Data Cloud architecture, data models, and APIs. They should also have experience in developing and deploying SAP Customer Data Cloud solutions with a focus on data privacy and security. Additionally, candidates should be familiar with the latest industry standards and regulations related to data privacy and security, as well as emerging trends and best practices in this field. By passing C-C4H620-24 exam, candidates can demonstrate their expertise in developing SAP Customer Data Cloud solutions and increase their career opportunities in the SAP ecosystem.

NEW QUESTION 48

Which components can you add to an IdentitySync dataflow? Note: There are 3 correct answer to this question

- * A datatarget component
- * A file component

- * A datasource component
- * A social component
- * A field component

NEW QUESTION 49

You created a new Data Store type called behavior. You are running the following query: `SELECT behavior.data FROM ds WHERE UID = '12345'`; The search is returning NO results even though UID 12345 exists in the SSO group. What is your analysis?

- * The command is incorrect and should be `SELECT behavior.* FROM ds WHERE UID = '12345'`.
- * The command is incorrect and should be `SELECT* FROM behavior WHERE UID = '12345'`.
- * The command is incorrect and should be `SELECT* FROM ds WHERE UID = '12345'`.
- * The command is correct and this user has NO data.

NEW QUESTION 50

Which properties can you set in the field of a schema? Note: There are 3 correct answer to this question

- * Whether the field is compressed
- * Whether the field is encrypted
- * Whether the field is hidden
- * The field's name
- * The field's type

NEW QUESTION 51

On which data point is account linking triggered?

- * Phone number
- * Username
- * E-mail address
- * First name

NEW QUESTION 52

You are building a registration form where users will add information about the make and model of all the cars they own. How would you create the two fields you need to add to your data schema?

- * `carsMake: {type: string, carsModel: {type: string[]}}`
- * `cars_make: {type: string}, cars_model: {type: string}`
- * `cars.make: {type: string}, cars.model: {type: string}`
- * `carsMake: {type: string}, carsModel: {type: array}`

NEW QUESTION 53

What is the primary role of the identities array in the accounts database?

- * A list of custom data fields
- * A list of social identities
- * A list of login identifiers

- * A list of identities split by API key

NEW QUESTION 54

What does progressive profiling enable you to do?

- * Automatically sign in across digital properties.
- * Add fields to the profile schema.
- * Incrementally collect profile data over time.
- * Convert a lite registration to a full account.

NEW QUESTION 55

You are doing a client-side implementation of SAP Customer Data Cloud using the JavaScript SDK. You had previously recorded user behavior data in the store, and would like to record additional user behavioral data (such as activities and progress) in the form of an array. Which function would meet your requirement?

- * `gigya.ds.store({ oid: UID, type: $behavior$, updateBehavior: $arrayPush$, data: { activity: [{ type: $checkout$, updated: $2019-01-01$ }] } })`
- * `gigya.ds.setSchema({ oid: UID, type: $behavior$, updateBehavior: $arrayPush$, data: { activity: [{ type: $checkout$, updated: $2019-01-01$ }] } })`
- * `gigya.ds.setSchema({ oid: UID, type: $behavior$, updateBehavior: $arraySet$, data: { activity: [{ type: $checkout$, updated: $2019-01-01$ }] } })`
- * `gigya.ds.store({ oid: UID, type: $behavior$, updateBehavior: $arraySet$, data: { activity: [{ type: $checkout$, updated: $2019-01-01$ }] } })`

NEW QUESTION 56

What is the recommended approach to make a native API call, such as `getAccountInfo`, from an Android client?

- * Use internal SOK method `GSRequest` or `GSAPI` to call the API method with an application key and secret
- * Use internal SOK method `GSRequest` or `GSAPI` to call the API method.
- * Use an application key and secret and make an HTTP POST call to the API endpoint.
- * Use an application key and secret and make an HTTP GET call to the API endpoint.

NEW QUESTION 57

You are generating a JSON Web Token (JWT) from the client side by calling the following:

`gigya.accounts.getJWT($email,$firstName,$lastName$);` However, the e-mail, `firstName`, and `lastName` of the user are NOT returned in the JWT. How can you re-write the API call to get the required claims?

- * `gigya.accounts.getJWT($email,$firstName,$lastName$);`
- * `gigya.accounts.getJWT({ fields: $email,$firstName,$lastName$ });`
- * `gigya.accounts.getJWT({ fields: $profile.email,$profile.firstName,$profile.lastName$ });`
- * `gigya.accounts.getJWT($profile.email,$profile.firstName,$profile.lastName$);`

NEW QUESTION 58

What are the key pages required to set up SAP Customer Data Cloud as a SAML identity provider? Note: There are 2 correct answer to this question

- * The Proxy page
- * The Error page
- * The Assertion page
- * The Consent page

NEW QUESTION 59

Which of the following scenarios would trigger a registration completion screen in a registration flow? Note: There are 2 correct answer to this question

- * A user is registering via a social network that does NOT provide a value for a mandatory field.
- * A user is logging in via a social network with an e-mail that is already associated with an existing site account.
- * A user is missing a valid consent to a required consent statement.
- * E-mail verification is enabled in the RaaS policies and automatic login is disabled.

NEW QUESTION 60

What system data is recorded for every user inside the accounts database? Note: There are 2 correct answer to this question

- * Time stamps
- * Number of logins
- * Login provider
- * SDK version

NEW QUESTION 61

You are setting up a new webhooks endpoint and you would like to retrieve the profile object on receipt of the `Account logged in` notification. What method would you recommend?

- * `accounts.search` with `SELECT profile FROM emailAccounts WHERE profile.email= $email from notification`
- * `accounts.getAccountInfo` with UID from notification
- * Use the profile object sent in the notification payload
- * `accounts.search` with `SELECT profile FROM account WHERE profile.email= $email from notification`

NEW QUESTION 62

You are implementing SAP Customer Consent using Screen-Sets, but without SAP Customer Identity. Which API call do you need to use to initiate the process of collecting consent?

- * `accounts.register`
- * `accounts.login`
- * `accounts.notifyLogin`
- * `accounts.initRegistration`

NEW QUESTION 63

How would you grant someone access to your Partner?

- * By adding them to the list of authorized Console users inside RaaS site settings
- * By sending them an e-mail with the link to your Partner sign-up form
- * By inviting them via the Invite Administrator feature of the Admin
- * By requesting they be granted access using the access request portal

NEW QUESTION 64

What is the function of the Assertion Consumer Service URL in an SAML implementation?

- * It decodes the SAML response.
- * It allows consumers to securely enter their SAML credentials.
- * It consumes tokens to verify the authenticity of the SAML user.

- * It encodes the SAML response.

NEW QUESTION 65

You are implementing a native registration flow using the mobile SDK as follows: Call `accounts.initRegistration`. Call `accounts.register` with the `loginID` and password, and `regToken`. Account goes to pending registration status `–` missing required fields. Call `accounts.setAccountInfo` with required fields `data`. Call `accounts.finalizeRegistration`. However, you are getting a permission error when performing steps 3 and 4. Which parameters should be passed to steps 3 and 4 to stop the error?

- * An app key and secret
- * The `regToken`
- * The password
- * The `loginID`

NEW QUESTION 66

You want to conditionally show a field based on the value of another field. What is the recommended approach for doing this when using Screen-Sets?

- * Use the Success Screen property.
- * Use the Validity Indication property.
- * Use the Visible When property.
- * Set the field to be required in the schema.

NEW QUESTION 67

Which tools can you use to read subscription data? Note: There are 2 correct answer to this question

- * `accounts.search`
- * Identity Query Tool
- * Customer Insights
- * `accounts.setAccountInfo`

NEW QUESTION 68

You are implementing CIAM for B2B on a customer's Web site. You want to launch the Delegated Administration console. Which parameter must you pass to the `openDelegatedAdminLogin` function?

- * `email`
- * `UID`
- * `orgID`
- * `orgName`

SAP C-C4H620-24 certification is ideal for developers, solution architects, and technical consultants who are responsible for

implementing SAP Customer Data Cloud solutions in their organizations. Certified Development Associate - SAP Customer Data Cloud certification validates the candidate's proficiency in developing and implementing SAP Customer Data Cloud solutions, which can help them advance their careers and increase their earning potential.

Updated Exam C-C4H620-24 Dumps with New Questions: https://www.dumpleader.com/C-C4H620-24_exam.html